

NATIONAL OUTBREAK REPORTING SYSTEM

AUTHOR: ORPB1

REPORT CREATION DATE: 09/02/2020

CDC ID: 296501

STATE ID: 2020-0042

REPORT STATUS: Finalized

FINAL TIME STAMP: 9/2/2020

@ - Indicates the full text or additional list/table items can be found in the appendix.

@@ - Indicates additional list/table items can be found in the NORS Interface.

National Outbreak Reporting System

Foodborne Disease Transmission, Person-to-Person Disease Transmission, Animal Contact, Environmental Contamination, Unknown Transmission Mode



This form is used to report investigations of foodborne disease outbreaks and enteric disease outbreaks transmitted by contact with persons, animals, or environmental sources, or by an unknown mode of transmission. This form has 5 sections, General, Etiology, Settings, Animal Contact, and Food, as indicated by tabs at the top of each page. Complete the General and Etiology tabs for all modes of transmission and complete additional sections as indicated by the mode of transmission. **Please complete as much as possible of all applicable sections.**

CDC USE ONLY

CDC ID

296501

State ID

2020-0042

Form Approved
OMB No. 0920-0004

General Section – complete for all modes of transmission except water

Primary Mode of Transmission (Check one)

- ☒ Food (complete General, Etiology, and Food tabs)
☐ Water (complete CDC 52.12)
☐ Animal contact (complete General, Etiology, and Animal Contact tabs)
- ☐ Person-to-person (complete General, Etiology, and Settings tabs)
☐ Environmental contamination other than food/water (complete General, Etiology, and Settings tabs)
☐ Other/Unknown (complete General, Etiology, and Settings tabs)

Investigation Methods (Check all that apply)

- ☒ Interviews only of ill persons
☐ Case-control study
☐ Cohort study
☐ Food preparation review
☐ Water system assessment: Drinking water
☐ Water system assessment: Nonpotable water
- ☐ Treated or untreated recreational water venue assessment
☐ Investigation at factory/production/treatment plant
☐ Investigation at original source (e.g., farm, water source, etc.)
☒ Food product or bottled water traceback
☒ Environment/food/water sample testing
☐ Other

Comments

Dates (mm/dd/yyyy)

Date first case became ill (required) 05/05/2020
 Date last case became ill 07/01/2020
 Date of initial exposure _____
 Date of last exposure _____
 Date of report to CDC (other than this form) 06/01/2020
 Date of notification to State/Territory or Local/Tribal Health Authorities 06/01/2020

Geographic Location (Case Counts can be found in the appendix)

Exposure state: Multistate

- ☒ Exposure occurred in multiple states
☐ Exposure occurred in a single state, but cases resided in another state or multiple states
 Other states: Alabama, Arkansas, California, Florida, Georgia, North Carolina, Oklahoma, South Carolina, Tennessee
 (For multistate exposure or multistate residency outbreaks, enter the case count for each state)

Exposure county:

- ☐ Exposure occurred in multiple counties in exposure state
☐ Exposure occurred in a single county, but cases resided in another county or multiple counties
 Other counties: _____

City/Town/Place of exposure: _____
 (Do not include proprietary or private facility names)

Primary Cases

Number of primary cases				Sex (Number or percent of the primary cases)										
Lab-confirmed primary cases	37		#	Male	21		#	56.76		%				
Probable primary cases	0		#	Female	13		#	35.14		%				
Estimated total primary cases	37		#	Unknown	3		#	8.11		%				
Primary case outcomes	# Cases		Total # of cases for whom info is available	Age (Number or percent of the primary cases)										
Died	0	#	34	#	<1 year	5	#	13.51	%	20–49 years	6	#	16.22	%
Hospitalized	14	#	33	#	1–4 years	6	#	16.22	%	50–74 years	11	#	29.73	%
Visited Emergency Room		#		#	5–9 years	3	#	8.11	%	≥ 75 years	5	#	13.51	%
Visited health care provider (excluding ER visits)		#		#	10–19 years	0	#	0.00	%	Unknown	1	#	2.70	%

General

Incubation Period, Duration of Illness, Signs or Symptoms for Primary Cases Only

Incubation Period (Select appropriate units)			Duration of Illness (Among recovered cases-select appropriate units)		
Shortest		Min, Hours, Days	Shortest		Min, Hours, Days
Median		Min, Hours, Days	Median		Min, Hours, Days
Longest		Min, Hours, Days	Longest		Min, Hours, Days
Total # of cases for whom info is available			Total # of cases for whom info is available		
☒ Unknown incubation period			☒ Unknown duration of illness		

Signs or Symptoms (*Refer to terms from appendix E, if appropriate, to describe other common characteristics of cases.)

Sign or symptom	# cases with signs or symptoms	Total # cases for whom info is available
Vomiting		
Diarrhea		
Bloody stools		
Fever		
Abdominal cramps		
HUS		
*		
*		
*		
*		

Secondary Cases

Mode of secondary transmission (Check all that apply)	Number of secondary cases	
☐ Food	Lab-confirmed secondary cases	0 #
☐ Water	Probable secondary cases	0 #
☐ Animal contact	Estimated total secondary cases	0 #
☐ Person-to-person	Estimated total cases (Primary + Secondary)	37 #
☐ Environmental contamination other than food/water		
☐ Other/unknown		

Other CDC System IDs (If applicable)

NEARS ID: 1) _____ 2) _____ 3) _____ 4) _____

OHHABS ID: 1) _____ 2) _____

Traceback (For food and bottled water only, not public water)

☒ Please check if traceback conducted

Source name (if publicly available)	Source type (e.g., poultry farm, tomato processing plant, bottled water factory)	Location of source		Traceback comments
		State	Country	

Recall

☐ Please check if any food or bottled water product was recalled

Type of item recalled: _____

Comments: _____

Reporting Agency

Reporting site: CDC E-mail: NORSAdmin@cdc.gov

Agency name: CDC Phone #: 555-5555

Contact name: NORS Admin Fax #: 555-5555

Contact title: Epidemiologist

General Remarks Briefly describe important aspects of the outbreak not covered above. Please indicate if any adverse outcomes occurred in special populations (e.g., pregnant women, immunocompromised persons)

Etiology

Etiology Section – complete for all modes of transmission except water

Clinical and Environmental Testing

1. Were any samples collected and tested? ☒ Yes ☐ No ☐ Unknown (If no or unknown, skip to Q6)

2. How many samples of each type were tested?

Type of sample	Tested? (yes/no/unknown)	Number of samples tested
Human specimen	Yes	37
Animal specimen	No	
Food	Yes	4
Water	No	
Other environmental (specify in general remarks)	No	

3. What were they tested for? (check all that apply)

- ☒ Bacteria (or bacterial toxins)
☐ Viruses
☐ Parasites
☐ Chemicals/Toxins
☐ Unknown

4. Test types (select all test types used for clinical specimens)

- ☐ Chemical testing
☒ Culture
☐ DNA or RNA Amplification/Detection (e.g., PCR, RT-PCR)
☐ Microscopy (e.g., Fluorescent, EM)
☐ Serological/immunological test (e.g., EIA, ELISA)
☐ Tissue culture infectivity assay
☐ Other (specify in general remarks)
☐ Unknown

5. Was antimicrobial susceptibility testing (AST) performed? ☒ Yes ☐ No ☐ Unknown

If yes, where was AST performed? ☐ Clinical lab ☐ Public health lab ☒ CDC-NARMS ☐ Other ☐ Unknown

If yes, were any antimicrobial resistant isolates associated with the outbreak? ☐ Yes ☒ No ☐ Unknown

6. Is there at least one confirmed* or suspected outbreak etiology(s)?

- ☒ Yes ☐ No (unknown etiology) If no, skip to next section

*See http://www.cdc.gov/foodsafety/outbreaks/investigating-outbreaks/confirming_diagnosis.html

Etiology (Name the bacterium, chemical/toxin, virus, or parasite. If available, include the serotype and other characteristics such as phage type, virulence factors, and metabolic profile.)						
Genus	Species	Serotype/genotype	Other characteristics	Etiology confirmed or suspected	# of lab-confirmed cases	Detected in [~]
Salmonella	enterica	Rubislaw		Confirmed	37	1

[~]Detected in (choose all that apply): 1 – patient specimen; 2 – food specimen; 3 – environmental specimen; 4 – food-worker specimen; 5 – water sample; 6 – animal specimen

Isolates/Strains (For bacterial pathogens, provide a representative for each distinct pattern. For norovirus outbreaks, provide CaliciNet key, @@ outbreak number, sequenced region, and genotype for each distinct strain.)

CDC system	State lab ID/Accession ID/CaliciNet key/PulseNet Key	CDC PulseNet cluster code or CaliciNet outbreak number	CDC PulseNet pattern designation for enzyme 1	CDC PulseNet pattern designation for enzyme 2	CaliciNet sequenced region/whole genome sequencing ID	CaliciNet genotype/other molecular designation
PulseNet	(b)(6)	2006MLJLP-1			(b)(6)	Rubislaw
PulseNet		2006MLJLP-1				Rubislaw
PulseNet		2006MLJLP-1				Rubislaw

Settings Section – complete for person-to-person, environmental contamination, and other/unknown primary mode of transmission**Major Setting of Exposure** (choose one)

- | | | | | |
|---|---|--|--|---|
| ☐ Camp | ☐ Hospital | ☐ Office/indoor workplace | ☐ Private home/residence | ☐ Shelter/group home/ transitional housing |
| ☐ Child day care | ☐ Hotel/motel | ☐ Other healthcare facility | ☐ Religious facility | ☐ Ship/boat |
| ☐ Event space | ☐ Long-term care/nursing home/assisted living facility | ☐ Other (specify) | ☐ Restaurant | ☐ Unknown |
| ☐ Festival/fair | | ☐ Prison/jail | ☐ School/college/university | |

Specify setting _____

Attack Rates for Major Setting of Exposure

Group (based on setting)	Estimated exposed in major setting*	Estimated ill in major setting	Crude attack rate [(estimated ill / estimated exposed) x 100]
Residents, guests, passengers, patients, etc.			
Staff, crew, etc.			

*e.g., number of persons on ship, number of residents in nursing home or affected ward

Other Settings of Exposure (choose all that apply)

- | | | | | |
|---|---|--|--|---|
| ☐ Camp | ☐ Hospital | ☐ Office/indoor workplace | ☐ Private home/residence | ☐ Shelter/group home/ transitional housing |
| ☐ Child day care | ☐ Hotel/motel | ☐ Other healthcare facility | ☐ Religious facility | ☐ Ship/boat |
| ☐ Event space | ☐ Long-term care/nursing home/assisted living facility | ☐ Other (specify) | ☐ Restaurant | ☐ Unknown |
| ☐ Festival/fair | | ☐ Prison/jail | ☐ School/college/university | |

Specify setting _____

Additional Shigella Questions (Complete this section for Shigella outbreaks)

1. Did any case-patients report travel prior to illness onset? ☐ Yes ☐ No ☐ Unknown
If yes, was travel international, domestic, or both? ☐ International ☐ Domestic ☐ Both ☐ Unknown
2. Were any confirmed, suspected, or probable case-patients immunocompromised (e.g., HIV/AIDS)? ☐ Yes ☐ No ☐ Unknown
3. Were there any confirmed, suspected, or probable cases among men who have sex with men? ☐ Yes ☐ No ☐ Unknown

Animal Contact Section – complete for animal contact primary mode of transmission

- ☐ Animal vehicle undetermined Reason(s) animal contact, but undetermined vehicle (enter all that apply from list in appendix E): _____

Animal	1	2	3
Animal Type (select from list in appendix E)			
Animal Type (specify)			
Confirmed or suspected vehicle			
Reason(s) confirmed or suspected (enter all that apply from list in appendix E)			

1. Settings of exposure (check all that apply)

- | | | |
|--|---|--|
| ☐ Agricultural feed store | ☐ Live animal market | ☐ Private home/residence |
| ☐ Animal shelter or sanctuary | ☐ Long-term care/nursing home/assisted living facility | ☐ School/college/university |
| ☐ Camp | ☐ Pet store or other retail location | ☐ Veterinary clinic |
| ☐ Child day care | ☐ Petting zoo | ☐ Zoo or animal exhibit |
| ☐ Farm/dairy | ☐ Prison/jail | ☐ Other (specify*) |
| ☐ Festival or fair | | ☐ Unknown |
| ☐ Hospital | | |
| ☐ Laboratory | | |

2. Was pet food or animal feed implicated as a potential source of the outbreak? ☐ Yes ☐ No ☐ Unknown

If yes, please specify:

- | | |
|---|--|
| ☐ Prepackaged pet food | |
| ☐ Pet treats or chews | |
| ☐ Homemade pet food | |
| ☐ Commercially prepared 'raw' pet food | |
| ☐ Frozen or fresh feeder rodents | |
| ☐ Blended feed | |
| ☐ Other (specify*) | |
| ☐ Unknown | |

3. Did any cases have exposure to livestock or household pets that were experiencing diarrhea?☐ Yes ☐ No ☐ Unknown**4. Was the "Compendium of Measures to Prevent Disease Associated with Animals in Public Settings" used in the investigation?** ☐ Yes ☐ No ☐ Unknown**5. What prevention measures or recommendations were used to stop the outbreak and prevent additional infections?** (check all that apply)

- | | |
|--|---|
| ☐ Handwashing | ☐ None |
| ☐ Quarantine/stop movement | ☐ Other (specify*) |
| ☐ Venue or event closure | ☐ Unknown |
| ☐ Removal of animals from setting | |

Animal contact remarks (*If "Other" was chosen, specify here): _____

Food Section – complete for foodborne primary mode of transmission

☐ Food vehicle undetermined Reason(s) foodborne, but undetermined vehicle (enter all that apply from list in appendix E): _____

Food	1	2	3
Name of food (excluding any preparation)	Mango		
Confirmed or suspected vehicle	Confirmed		
Reason(s) confirmed or suspected (enter all that apply from list in appendix E)	1 - Epidemiologic; 3 - Traceback and/or environmental investigation;		
Ingredient(s) (enter all that apply)	mango;		
Contaminated ingredient(s) (enter all that apply)	mango;		
Total # of cases exposed to implicated food	24		
Method of processing (enter all that apply from list in appendix E)	11 - Unknown;		
Method of preparation (select one from list in appendix E)	2 - Ready to eat food - No manual preparation, No cook step.;		
Level of preparation (select one from list in appendix E)	1 - Foods eaten raw with minimal or no processing.;		
Contaminated food imported to US?	☒ Yes, country MEXICO ☐ Yes, unknown ☐ No ☐ Unknown	☐ Yes, country _____ ☐ Yes, unknown ☐ No ☐ Unknown	☐ Yes, country _____ ☐ Yes, unknown ☐ No ☐ Unknown
Was product both produced under domestic regulatory oversight and sold?	☐ Yes ☐ No ☒ Unknown	☐ Yes ☐ No ☐ Unknown	☐ Yes ☐ No ☐ Unknown
Location where food was prepared (check all that apply)		Location of exposure (where food was eaten) (check all that apply)	
☐ Banquet facility (food prepared and served on-site)	☐ Other healthcare facility	☐ Banquet facility (food prepared and served on-site)	☐ Other healthcare facility
☐ Camp	☐ Prison/jail	☐ Camp	☐ Prison/jail
☐ Caterer (food prepared off-site from where served)	☒ Private home/residence	☐ Caterer (food prepared off-site from where served)	☒ Private home/residence
☐ Child day care	☐ Religious facility	☐ Child day care	☐ Religious facility
☐ Fair, festival, other temporary or mobile services	☐ Restaurant- Buffet	☐ Fair, festival, other temporary or mobile services	☐ Restaurant – Buffet
☐ Farm/dairy	☐ Restaurant – ‘Fast-food’ (drive up service or pay at counter)	☐ Farm/dairy	☐ Restaurant – ‘Fast-food’ (drive up service or pay at counter)
☐ Grocery store	☐ Restaurant – Other or unknown type	☐ Grocery store	☐ Restaurant – Other or unknown type
☐ Hospital	☐ Restaurant – Sit-down dining	☐ Hospital	☐ Restaurant – Sit-down dining
☐ Hotel/motel	☐ School/college/university	☐ Hotel/motel	☐ School/college/university
☐ Long-term care/nursing home/assisted living facility	☐ Ship/boat	☐ Long-term care/nursing home/assisted living facility	☐ Ship/boat
☐ Office/indoor workplace	☐ Unknown	☐ Office/indoor workplace	☐ Unknown
☐ Other (specify in ‘where prepared remarks’)		☐ Other (specify in ‘where eaten remarks’)	
Where prepared remarks:		Where eaten remarks:	
Was there a kitchen manager certified in food safety at the location of preparation? ☐ Yes ☐ No ☒ Unknown			

Contributing Factors (check all that contributed to this outbreak)☒ Contributing factors unknown**Contamination factor**☐ C1 ☐ C2 ☐ C3 ☐ C4 ☐ C5 ☐ C6 ☐ C7 ☐ C8 ☐ C9 ☐ C10 ☐ C11 ☐ C12 ☐ C13 ☐ C14 ☐ C15 ☐ C-N/A**Proliferation/amplification factor** (bacterial outbreaks only)☐ P1 ☐ P2 ☐ P3 ☐ P4 ☐ P5 ☐ P6 ☐ P7 ☐ P8 ☐ P9 ☐ P10 ☐ P11 ☐ P12 ☐ P-N/A**Survival factor**☐ S1 ☐ S2 ☐ S3 ☐ S4 ☐ S5 ☐ S-N/A**Confirmed or Suspected Point of Contamination** (check one)☒ Before preparation ☐ Preparation ☐ Unknown
If 'before preparation': ☐ Pre-Harvest ☐ Processing ☒ Unknown**Reason suspected** (check all that apply)☐ Environmental evidence ☐ Laboratory evidence
☐ Epidemiologic evidence ☒ Prior experience makes this a likely source**Was food-worker implicated as the source of contamination?**☐ Yes ☒ No ☐ Unknown**If yes, please check only one of the following:**☐ Laboratory and epidemiologic evidence ☐ Epidemiologic evidence
☐ Laboratory evidence ☒ Prior experience makes this a likely source**School Questions**

(Complete this section only if "school" is checked in either sections "Location where food was prepared" or "Location of exposure (where food was eaten)").

1. Did the outbreak involve a single or multiple schools?☐ Single ☐ Multiple (number of schools: _____)**2. School characteristics** (for all involved students in all involved schools)**a.** Total approximate enrollment: _____ (number of students) ☐ Unknown or undetermined**b.** Grade level(s)☐ Grade school (grades K-12)Please check all grades affected: ☐ K ☐ 1st ☐ 2nd ☐ 3rd ☐ 4th ☐ 5th ☐ 6th ☐ 7th ☐ 8th ☐ 9th ☐ 10th ☐ 11th ☐ 12th☐ College/university/technical school☐ Unknown or undetermined**c.** Primary funding of involved schools☐ Public ☐ Private ☐ Unknown**3. Describe the preparation of the implicated item:**

(check all that apply)

☐ Heat and serve (item mostly prepared or cooked off-site, reheated on-site)
☐ Served a-la-carte
☐ Serve only (preheated or served cold)
☐ Cooked on-site using primary ingredients
☐ Provided by a food service management company
☐ Provided by a fast-food vendor
☐ Provided by a pre-plate company
☐ Part of a club or fundraising event
☐ Made in the classroom
☐ Brought by a student/teacher/parent
☐ Other (specify in General Remarks)
☐ Unknown or undetermined**4. How many times has the state, county or local health department inspected this school cafeteria or kitchen in the 12 months before the outbreak?***☐ Once
☐ Twice
☐ More than two times
☐ Not inspected
☐ Unknown or undetermined

*If multiple schools are involved, please answer for the school with the most cases.

5. Does the school have a HACCP plan in place for the school feeding program?*☐ Yes
☐ No
☐ Unknown or undetermined

*If multiple schools are involved, please answer for the school with the most cases.

6. Was implicated food item provided to the school through the National School Lunch/Breakfast Program?☐ Yes
☐ No
☐ Unknown or undetermined

If yes, was the implicated food item donated/purchased by:

☐ USDA through the Commodity Distribution Program
☐ The state/school authority
☐ Other (specify in General Remarks)
☐ Unknown or undetermined

Ground Beef

1. What percentage of ill persons, for whom information is available, ate ground beef raw or undercooked? _____ %
2. Was ground beef case-ready?
☐ Yes ☐ No ☐ Unknown
(Case-ready ground beef is meat that comes from a manufacturer packaged for sale that is not altered or repackaged by the retailer.)
3. Was the beef ground or reground by the retailer?
☐ Yes ☐ No ☐ Unknown
 If yes, was anything added to the beef during grinding *(e.g., shop trim or any product to alter the fat content)?*: _____

Eggs

- | | |
|---|--|
| <p>1. Were eggs <i>(check all that apply)</i></p> <p>☐ in shell, unpasteurized</p> <p>☐ in shell, pasteurized</p> <p>☐ packaged liquid or dry</p> <p>☐ stored with inadequate refrigeration during or after sale</p> <p>☐ consumed raw</p> <p>☐ consumed undercooked</p> <p>☐ pooled</p> | <p>2. Was <i>Salmonella</i> Enteritidis found on the farm?
 ☐ Yes ☐ No ☐ Unknown</p> <p>Egg comment
 <i>(e.g., eggs and patients isolates matched by phage type):</i></p> <p>_____</p> |
|---|--|

Public reporting burden of this collection of information is estimated to average 20 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Project Clearance Officer, 1600 Clifton Road, MS D-24, Atlanta, GA, 30333, ATTN: PRA (0920-0004) <--DO NOT MAIL CASE REPORTS TO THIS ADDRESS-->

•PulseNet Key: (b)(6) Outbreak Code: 2006MLJLP-1, Source Type: , Specimen Id: , CDC PulseNet pattern designation for enzyme 1: , CDC PulseNet pattern designation for enzyme 2: , Other Molecular Designation 1:

•PulseNet Key: (b)(6), Outbreak Code: 2006MLJLP-1, Source Type: , Specimen Id: , CDC PulseNet pattern designation for enzyme 1: , CDC PulseNet pattern designation for enzyme 2: , Other Molecular Designation 1:

•PulseNet Key: (b)(6) Outbreak Code: 2006MLJLP-1, Source Type: , Specimen Id: , CDC PulseNet pattern designation for enzyme 1: , CDC PulseNet pattern designation for enzyme 2: , Other Molecular Designation 1:

•PulseNet Key: (b)(6), Outbreak Code: 2006MLJLP-1, Source Type: , Specimen Id: , CDC PulseNet pattern designation for enzyme 1: , CDC PulseNet pattern designation for enzyme 2: , Other Molecular Designation 1:

•PulseNet Key (b)(6) Outbreak Code: 2006MLJLP-1, Source Type: , Specimen Id: , CDC PulseNet pattern designation for enzyme 1: , CDC PulseNet pattern designation for enzyme 2: , Other Molecular Designation 1:

•PulseNet Key: (b)(6) Outbreak Code: 2006MLJLP-1, Source Type: , Specimen Id: , CDC PulseNet pattern designation for enzyme 1: , CDC PulseNet pattern designation for enzyme 2: , Other Molecular Designation 1:

•PulseNet Key: (b)(6), Outbreak Code: 2006MLJLP-1, Source Type: , Specimen Id: , CDC PulseNet pattern designation for enzyme 1: , CDC PulseNet pattern designation for enzyme 2: , Other Molecular Designation 1:

•PulseNet Key: (b)(6), Outbreak Code: 2006MLJLP-1, Source Type: , Specimen Id: , CDC PulseNet pattern designation for enzyme 1: , CDC PulseNet pattern designation for enzyme 2: , Other Molecular Designation 1:

•PulseNet Key: (b)(6) Outbreak Code: 2006MLJLP-1, Source Type: , Specimen Id: , CDC PulseNet pattern designation for enzyme 1: , CDC PulseNet pattern designation for enzyme 2: , Other Molecular Designation 1:

(b)(6)	Other Molecular Designation 2: Rubislaw
--------	---

Case Count by States

Alabama: 1

Arkansas: 3

California: 6

Florida: 12

Georgia: 5

North Carolina: 3

Oklahoma: 2

South Carolina: 2

Tennessee: 3